



9/09/16 0:00'00 9/09/18 0:00'00 9/09/20 0:00'00 9/09/22 0:00'00 9/09/24 0:00'00

Cursor A 2009/09/19 7:00'00 Calculation Range from 2009/09/12 12:59'50
 Cursor B 2009/09/22 14:00'00 A<-->B 3 07:00'00 to 2009/09/25 23:00'11

| ch | Name | Interval | Sample | CursorA | CursorB | A<-->B | Max. | Min. | Avg. | Unit |
|----|--------------|----------|--------|---------|---------|--------|------|------|------|------|
| 1 | RF-EDP-SD表面 | 60min. | 323 | 18.4 | 40.6 | 22.2 | 40.8 | 18.0 | 26.6 | ℃ |
| 2 | RF-未塗装表面 | 60min. | 323 | ----- | ----- | ----- | 53.9 | 21.5 | 33.3 | ℃ |
| 3 | 天井懐-EDP-SD下部 | 60min. | 323 | 24.2 | 29.7 | 5.5 | 31.7 | 22.6 | 27.1 | ℃ |
| 4 | 天井懐-未塗装下部 | 60min. | 323 | ----- | ----- | ----- | 38.9 | 22.9 | 32.0 | ℃ |
| 5 | 腰壁-EDP-SD | 60min. | 323 | ----- | ----- | ----- | 38.6 | 22.8 | 28.8 | ℃ |
| 6 | 腰壁-既設塗装面 | 60min. | 323 | ----- | ----- | ----- | 42.9 | 22.7 | 30.6 | ℃ |